Author index

Aberle, K S, Hamann, H, Drögemüller, C & Distl, O. Genetic diversity in German draught horse breeds compared with a group of primitive, riding and wild horses by means of microsatellite DNA markers, 270
Ables, G P *see* Nakatsu, Y
Achmann, R, Curik, I, Dovc, P, Kavar, T, Bodo, I, Habe, F, Marti, E, Sölkner, J & Brem, G. Microsatellite diversity, population subdivision and gene flow in the Lipizzan horse, 285
Acland, G M *see* Casse, C
Agui, T *see* Ko, J H
Aguirre, G D *see* Casse, C
Ai, H-S *see* Ren, J
Alexander, L J *see* Mickelson, J R
see also Wagner, M L
Alves, V C *see* Mateus, J C
Amills, M *see* Muñoz, G, Vidal, O
Amini, B *see* Fitzsimmons, C J
Andersson, L *see* Fitzsimmons, C J
Anistoroaei, R, Cirera, S, Jørgensen, C B, Fredholm, M & Christensen, K. FISH mapping and sequence analysis of 87 porcine BAC clones, 58
Aoki, S M *see* Santos, S E C
Archer, S *see* Terry, R B
Arias, J & Kirkpatrick, B. Mapping of bovine ovulation rate QTL: an analytical approach for three generation pedigrees, 7
Arias, J A *see* Gonda, M G
Asai, M, Berryere, T G & Schmutz, S M. The *scurs* locus in cattle maps to bovine chromosome 19, 34
Asai, M, Graphodatskaya, D, Stranzinger, G & Joerg, H. Assignment of bovine trophinin (*TRO*) to the q arm of the X chromosome by fluorescence *in situ* hybridization, 157
Ashwell, M S *see* Connor, E E
Awata, T *see* Fujishima-Kanaya, N, Mikawa, S

Bailey, E *see* Terry, R B
Bandi, C M *see* Franceschi, A
Bannasch, D L, Ryun, J R, Bannasch, M J, Schaible, R H, Breen, M & Ling, G. Exclusion of *galectin 9* as a candidate gene for hyperuricosuria in the Dalmatian dog, 326
Bannasch, M J *see* Bannasch, D L
Bartenschlager, H *see* Kopečný, M
Bartley, N *see* Chistiakov, D A
Bartnitzke, S *see* Meyer, J
Beattie, A E *see* Calvo, J H
Beattie, C W *see* Mizoshita, K
Beck, J *see* Chen, K F
Beever, J E *see* Kim, T H,
see also Marron, B M
Bendixen, C *see* Gjerstorff, M
see also Silahtaroglu, A N
Benkel, B F *see* Valle, E
Bennett, G L *see* Connor, E E,
see also Mizoshita, K
Berger, P J *see* Cruickshank, J
Bernoco, D *see* Terry, R B
Berry, W *see* Shen, S
Berryere, T G *see* Asai, M
Bertotto, D *see* Chistiakov, D A
Biller, D S *see* Grahn, R A
Binns, M M *see* Mickelson, J R
Bodo, I *see* Achmann, R
Bonatto, S L *see* Lima-Rosa, C A V
Bonsdorff, T, Gautier, M, Farstad, W, Ronningen, K, Lingaas, F & Olsaker, I. Mapping of the bovine genes of the *de novo* AMP synthesis pathway, 438
Bosworth, B G *see* Gregory, D J
Bottema, C D K *see* Kuchel, H
Botti, S *see* Franceschi, A
Bovenhuis, H *see* Rutten, M J M
Brault, L S *see* Tozaki, T
Breen, M *see* Bannasch, D L
Brem, G *see* Achmann, R,
see also Werner, F A O
Brenig, B *see* Chen, K F,
see also Ren, J,
see also Vallinoto, M
Brigati, J R *see* Livant, E J
Brito, M A P *see* Mota, A F
Brooks, S *see* Terry, R B
Brouillette, J A *see* Ernst, C W
Brown, M D *see* Sherman, G B
Buchanan, F C *see* Dickin, J C,
see also Thue, T D
Buitkamp, J *see* Werner, F A O
Bullerdiek, J *see* Murua Escobar, H
see also Meiboom, M,
see also Meyer, B,
see also Meyer, J,
see also Richter, A,
see also Santos, S E C,
see also Winkler, S
Bumstead, N *see* Kaiser, P

Calvo, J H, Marcos, S, Beattie, A E, Gonzalez, C, Jurado, J J & Serrano, M. Ovine alpha-amylase genes: isolation, linkage mapping and association analysis with milk traits, 329
Calvo, J H, Marcos, S, Beattie, A E, Jurado, J J & Serrano, M. Linkage mapping of ovine cysteine and histidine-rich protein gene (*CYHR1*) to chromosome 9, 263
Calvo, J H, Marcos, S, Jurado, J J & Serrano, M. Association of the heart fatty acid-binding protein (*FABP3*) gene with milk traits in Manchega breed sheep, 347
Cameron, N D *see* Houston, R D
Campagnari, F *see* Santos, S E C
Canal, C W *see* Lima-Rosa, C A V
Cao, H, Robinson, J A B, Jiang, Z, Melville, J S, Golovan, S P, Jones, M W & Verrinder Gibbins, A M. A high-resolution radiation hybrid map of porcine chromosome 6, 367
Capuco, A V *see* Mota, A F
Carpio, C M *see* Mizoshita, K
Casas, E, Keele, J W, Shackelford, S D, Koohmaraie, M & Stone, R T. Identification of quantitative trait loci for growth and carcass composition in cattle, 2
Casas, E, Lunstra, D D & Stone, R T. Quantitative trait loci for male reproductive traits in beef cattle, 451
Casse, C, Acland, G M & Aguirre, G D. Cloning and mapping of canine *KIAA1753*, 358
Cassini, P *see* Franceschi, A
Čepica, S, Procházka, R, Civáňová, K, Knoll, A, Němcová, L, Masopust, M, Kubíčková, S, Musilová, P & Rubeš, J. Partial molecular characterization and mapping of the *GDF9* gene to porcine chromosome 2, 261
Čepica, S *see* Civáňová, K
Chen, K F, Beck, J, Huang, L S, Knorr, C & Brenig, B. Assignment of the *phosphoglycerate kinase 2* (*PGK2*) gene to porcine chromosome *7q14–q15* by fluorescence *in situ* hybridization and by analysis of somatic cell and radiation hybrid panels, 71
Chen, K F, Beck, J, Huang, L S, Knorr, C & Brenig, B. Assignment of the *phosphoglycerate kinase 1* (*PGK1*) gene to porcine chromosome Xq12-q13 by *fluorescence in situ* hybridization and hybrid panel analyses, 143
Cheng, H H *see* Kinoshita, K,
see also Zhang, H M, Zhang, H M
Chilliard, Y *see* Liefers, S C
Chistiakov, D A, Hellemans, B, Tsigenopoulos, C S, Law, A S, Bartley, N, Bertotto, D, Libertini, A, Kotoulas, G, Haley, C S & Volckaert, F A M. Development and linkage relationships for new microsatellite markers of the sea bass (*Dicentrarchus labrax* L.), 53

© 2004 International Society for Animal Genetics

Chitko-McKown, C G *see* Clawson, M L
Choi, B H *see* Kim, T H
Chomdej, S, Ponsuksili, S, Schellander, K & Wimmers, K. Detection of SNPs and linkage and radiation hybrid mapping of the porcine C-reactive protein (*CRP*) gene, 469
Chomdej, S, Ponsuksili, S, Schellander, K & Wimmers, K. Sequencing, SNP identification and mapping of the porcine *PTHLH* gene to chromosome 5, 151
Chowdhary, B P *see* Mickelson, J R.
see also Wagner, M L
Christensen, K *see* Anistoroaei, R
Christenson, R K *see* Kim, J G
Chung, E R *see* Kim, N K
Cirera, S *see* Anistoroaei, R
Civáňová, K, Knoll, A, Rohrer, G A & Čepica, S. Linkage mapping of the *MC3R* gene to porcine chromosome 17, 467
Civáňová, K *see* Čepica, S
Clawson, M L, Heaton, M P, Fox, J M, Chitko-McKown, C G, Smith, T P L & Laegreid, W W. Male-specific *SRY* and *ZFY* haplotypes in US beef cattle, 246
Connor, E E, Sonstegard, T S, Ashwell, M S, Bennett, G L & Williams, J L. An expanded comparative map of bovine chromosome 27 targeting dairy form QTL regions, 265
Connor, E E *see* Mota, A F
Coutinho, L L *see* Mota, A F
Crawford, A M *see* Kuchel, H
Crews, D H *see* Valle, E
Crooijmans, R P M A *see* Jennen, D G J
Cruickshank, J, Dentine, M R, Berger, P J & Kirkpatrick, B W. Evidence for quantitative trait loci affecting twinning rate in North American Holstein cattle, 206
Curik, I *see* Achmann, R

Dai, L H *see* Lei, M G
Daikohara, M *see* Nakatsu, Y
Danzmann, R G *see* Gharbi, K.
see also Leder, E H.
see also McGowan, C R
Davidson, E A *see* McGowan, C R
Davidson, W S *see* McGowan, C R
Davoli, R *see* Russo, V
Deerenberg, R M *see* Rutten, M J M
Delavaud, C *see* Liefers, S C
Delgado-Cañedo, A *see* Lima-Rosa, C A V
Demeure, O, Liaubet, L, Riquet, J & Milan, D. Determination of *PRKAG1* coding sequence and mapping of *PRKAG1* and *PRKAG2* relatively to porcine back fat thickness QTL, 123
Deng, C Y *see* Lei, M G.
see also Zuo, B
DeNise, S, Johnston, E, Halverson, J, Marshall, K, Rosenfeld, D, McKenna, S, Sharp, T & Edwards, J. Power of exclusion for parentage verification and probability of match for identity in American kennel club breeds using 17 canine microsatellite markers, 14
Dentine, M R *see* Cruickshank, J
Dickin, J C, Thue, T D & Buchanan, F C. An alternative splice site in ghrelin is missing in ruminants, 411
Ding, N-S *see* Ren, J
Distl, O *see* Aberle, K S.
see also Drögemüller, C, Drögemüller, C, Drögemüller, C, Mömke, S.
see also Spötter, A
Dodgson, J B *see* Sazanov, A A
Dolf, G *see* Murua Escobar, H.
see also Klukowska, J.
see also Meyer, B.
see also Meyer, J.
see also Richter, A.
see also Winkler, S
Domukai, M *see* Mikawa, S
Dovc, P *see* Achmann, R
Drögemüller, C, Kuiper, H, Spötter, A, Williams, J L & Distl, O. Mapping of the *ATP11B* gene and refined localization of the *SOX2* and *FXR1* genes to BTA1q33, 499
Drögemüller, C, Kuiper, H, Spötter, A, Williams, J L & Distl, O. Mapping of the bovine homologue of the human chromosome 14 open reading frame 4 (*C14orf4*) gene to BTA10q36, 498
Drögemüller, C, Mömke, S, Spötter, A, Kuiper, H, Williams, J L & Distl, O. Physical mapping of the *KCNJ8* gene to bovine chromosome 5q3.2–q3.4, 476
Drögemüller, C *see* Aberle, K S.
see also Mömke, S.
see also Spötter, A
Dueholm, B *see* Gjerstorff, M
Duncan, S J *see* Kuchel, H
Durstewitz, G *see* Werner, F A O

Eding, H *see* Mateus, J C
Edwards, J *see* DeNise, S
Elleder, D, Plachý, J, Hejnar, J, Geryk, J & Svoboda, J. Close linkage of genes encoding receptors for subgroups A and C of avian sarcoma/leucosis virus on chicken chromosome 28, 176
Erhardt, G *see* Kaupe, B
Erickson, A *see* Zhao, S-H
Ernst, C W, Raney, N E, Rilington, V D, Rohrer, G A, Brouillette, J A & Venta, P J. Mapping of the *FES* and *FURIN* genes to porcine chromosome 7, 142
Ewald, S J *see* Livant, E J
Ezra, E *see* Ron, M

Fan, B *see* Lin, L.
see also Wang, H.
see also Wang, Y F.
see also Yang, J.
see also Zhang, L
Fang, M *see* Zhang, L
Farber, C R & Medrano, J F. Identification of putative homology between horse microsatellite flanking sequences and cross-species ESTs, mRNAs and genomic sequences, 28
Farstad, W *see* Bønsdorff, T
Feldmesser, E *see* Ron, M
Ferguson, M M *see* Gharbi, K.
see also Leder, E H.
see also McGowan, C R
Feuz, B M *see* Sherman, G B
Fisher, P J & Spelman, R J. Verification of selective DNA pooling methodology through identification and estimation of the *DGAT1* effect, 201
Fitzsimmons, C J, Savolainen, P, Amini, B, Hjälm, G, Lundeberg, J & Andersson, L. Detection of sequence polymorphisms in red junglefowl and White Leghorn ESTs, 391
Fontanesi, L *see* Russo, V
Fox, C P *see* Sherman, G B.
see also Clawson, M L
Franceschi, A, Cassini, P, Scalabrini, D, Botti, S, Bandi, C M & Giuffra, E. Radiation hybrid mapping of two members of the Toll-like receptor gene family in pigs, 251
Fredholm, M *see* Anistoroaei, R
Freitas, L B *see* Lima-Rosa, C A V
Fries, R *see* Kaupe, B.
see also Werner, F A O
Fu, A *see* Murdoch, B, Murdoch, B
Fujishima-Kanaya, N, Ito, Y, Suzuki, K, Sawazaki, T, Hiraiwa, H, Uenishi, H & Awata, T. The porcine homologues of six genes located on human chromosome 8 (*RAB2*, *CA3*, *PTDSS1*, *MATN2*, *FZD6* and *SQLE*) assigned to porcine chromosome 4 by fluorescence *in situ* hybridization, 501
Furukawa, T *see* Sasaki, O

Gaboreanu, A-M, Grapes, L, Ramos, A M, Kim, J-J & Rothschild, M F. Characterization of an X-chromosome PCR–RFLP marker associated with fat deposition and growth in the pig, 401
Gahr, S A, Palti, Y & Rexroad III, C E. Genomic characterization of a novel pair of *ID* genes in the rainbow trout (*Oncorhynchus mykiss*), 317
Gahr, S A *see* Palti, Y
Galibert, F *see* Hendrickson, J A.
see also Wu, J T
Galli, S *see* Russo, V
Garcia, D K *see* Hizer, S E.
see also Santos, S E C
Gautier, M *see* Bønsdorff, T
Geldermann, H *see* Kopečný, M

Gentry, P A *see* Marron, B M
George A L Jr *see* Wu, J T
Georges, M *see* Werner, F A O
Geryk, J *see* Elleder, D
Gharbi, K, Semple, J W, Ferguson, M M, Schulte, P M & Danzmann, R G. Linkage arrangement of Na,K-ATPase genes in the tetraploid-derived genome of the rainbow trout (*Oncorhynchus mykiss*), 321
Gilbey, J, Verspoor, E, McLay, A & Houlihan, D. A microsatellite linkage map for Atlantic salmon (*Salmo salar*), 98
Giuffra, E *see* Franceschi, A
Gjerstorff, M, Hansen, S, Jensen, B, Dueholm, B, Horn, P, Bendixen, C & Holmskov, U. The genes encoding bovine SP-A, SP-D, MBL-A, conglutinin, CL-43 and CL-46 form a distinct collectin locus on *Bos taurus* chromosome 28 (BTA28) at position q.1.8–1.9, 333
Gmür, A *see* Klukowska, J
Goh, G *see* Mickelson, J R, Wagner, M L, *see also* Wagner, M L
Goliášová, E & Wolf, J. Impact of the *ESR* gene on litter size and production traits in Czech Large White pigs, 293
Golovan, S P *see* Cao, H
Gomez-Raya, L *see* Moen, T
Gonda, M G, Arias, J A, Shook, G E & Kirkpatrick, B W. Identification of an ovulation rate QTL in cattle on BTA14 using selective DNA pooling and interval mapping, 298
Gonzalez, C *see* Calvo, J H
Goodchild, M *see* Kaiser, P
Goodenbour, J M, Kaiser, M G & Lamont, S J. Linkage mapping of *inhibitor of apoptosis protein-1* (*IAP1*) to chicken chromosome 1, 158
Grahn, R A, Biller, D S, Young, A E, Roe, B A, Qin, B & Lyons, L A. Genetic testing for feline polycystic kidney disease, 503
Grapes, L *see* Gaboreanu, A-M
Graphodatskaya, D *see* Asai, M
Gregory, D J, Waldbieser, G C & Bosworth, B G. Cloning and characterization of myogenic regulatory genes in three Ictalurid species, 425
Grindflek, E, Hoen, N, Sundvold, H, Rothschild, M F, Plastow, G & Lien, S. Investigation of a peroxisome proliferator-activated receptor gamma haplotype effect on meat quality and carcass traits in pigs, 238
Groenen, M A M *see* Jennen, D G J
Grootemaat, A E *see* Jennen, D G J
Gu, M *see* Wu, X
Gu, Z, Zhang, Y, Shi, P, Zhang, Y-P, Zhu, D & Li, H. Comparison of avian myostatin genes, 470
Günther, K *see* Richter, A, Winkler, S
Guo, Y-M *see* Ren, J

Habe, F *see* Achmann, R
Habermann, F A *see* Valle, E, *see also* Werner, F A O
Haley, C S *see* Chistiakov, D A
Halverson, J *see* DeNise, S
Hamann, H *see* Aberle, K S, *see also* Spötter, A
Hansen, C *see* Murdoch, B, Murdoch, B
Hansen, J D *see* Palti, Y
Hansen, S *see* Gjerstorff, M
Harbitz, I *see* Lei, M G
Harboe, T L *see* Silahtaroglu, A N
Hasegawa, T *see* Tozaki, T
Hata, H *see* Nakatsu, Y
Hawken, R J *see* Meadows, J R S
Hayashi, N *see* Mikawa, S
Hayashi, T *see* Mikawa, S
Heaton, M P *see* Clawson, M L
Hejnar, J *see* Elleder, D
Hellemans, B *see* Chistiakov, D A
Hendrickson, J A, Wu, J T, Hitte, C, Galibert, F, Mickelson, J R & Rutherford, M S. Radiation hybrid and comparative mapping of 83 canine brain ESTs, 414
Hendrickson, J A *see* Wu, J T
Henthorn, P S *see* Werner, P, *see also* Wu, J T
Hiraiwa, H *see* Fujishima-Kanaya, N
Hirota, K *see* Tozaki, T
Hitte, C *see* Hendrickson, J A, *see also* Wu, J T
Hizer, S E, Wright, T M & Garcia, D K. Genetic markers applied in regression tree prediction models, 50
Hjälm, G *see* Fitzsimmons, C J
Hoen, N *see* Grindflek, E
Holm, T R *see* Sherman, G B
Holmskov, U *see* Gjerstorff, M
Horn, P *see* Gjerstorff, M, Silahtaroglu, A N
Houlihan, D *see* Gilbey, J
Houston, R D, Cameron, N D & Rance, K A. A *melanocortin-4 receptor* (*MC4R*) polymorphism is associated with performance traits in divergently selected large white pig populations, 386
Hoyheim, B *see* Moen, T
Hu, X X *see* Yang, Y
Huang, L S *see* Chen, K F, *see also* Ren, J
Hudson, H *see* Plis-Finarov, A
Hungerford, L L *see* Sherman, G B

Iannuzzi, L *see* Vallinoto, M
Ibrahim, H R *see* Kinoshita, K
Ihara, N *see* Mizoshita, K
Inaba, K *see* Yoshizawa, K
Inoue-Murayama, M *see* Kayang, B B
Ishii, K *see* Sasaki, O

Ito, S *see* Kayang, B B
Ito, Y *see* Fujishima-Kanaya, N
Itoh, K *see* Tsuji, S

Jaques, S *see* Shen, S
Jennen, D G J, Crooijmans, R P M A, Morisson, M, Grootemaat, A E, van der der Poel, J J, Vignal, A & Groenen, M A M. A radiation hybrid map of chicken chromosome 15, 63
Jensen, B *see* Gjerstorff, M
Jensen, L R *see* Silahtaroglu, A N
Jiang, R, Li, J, Qu, L, Li, H & Yang, N. A new single nucleotide polymorphism in the chicken pituitary-specific transcription factor (POU1F1) gene associated with growth rate, 344
Jiang, S W *see* Zuo, B, *see also* Cao, H
Joerg, H *see* Asai, M
Joh, J H *see* Kim, N K
Johnston, E *see* DeNise, S
Jones, M W *see* Cao, H
Jørgensen, C B *see* Anistoroaei, R
Jurado, J J *see* Calvo, J H

Kachman, S D *see* Sherman, G B
Kaiser, M G *see* Goodenbour, J M
Kaiser, P, Rothwell, L, Goodchild, M & Bumstead, N. The chicken proinflammatory cytokines interleukin-1β and interleukin-6: differences in gene structure and genetic location compared with their mammalian orthologues, 169
Kalay, D *see* Ron, M
Karsi, A & Waldbieser, G C. Partial cloning of the *T-cell receptor-α* gene and assignment of *TRA* and *TRB* genes to the catfish linkage map, 150
Katz, J P *see* Tozaki, T
Kaupe, B, Kollers, S, Fries, R & Erhardt, G. Mapping of *CYP11B* and a putative *CYHR1* paralogous *gene* to bovine chromosome 14 by FISH, 478
Kavar, T *see* Achmann, R
Kayang, B B, Vignal, A, Inoue-Murayama, M, Miwa, M, Monvoisin, J L, Ito, S & Minvielle, F, A first-generation microsatellite linkage map of the Japanese quail, 195
Keele, J W *see* Casas, E
Kijas, J W *see* Meadows, J R S
Kikuchi, T *see* Yoshizawa, K
Kim, G H *see* Kim, N K
Kim, J G, Rohrer, G A, Vallet, J L, Christenson, R K & Nonneman, D, Addition of 14 anchored loci to the porcine chromosome 8 comparative map, 474
Kim, J-J *see* Gaboreanu, A-M
Kim, N K, Seo, Y W, Kim, G H, Joh, J H, Kim, O H, Chung, E R & Lee, C S, A previously

unreported *DraI* polymorphism within the regulatory region of the bovine *growth hormone* gene and its association with growth traits in Korean Hanwoo cattle, 152
Kim, O H *see* Kim, N K
Kim, T H, Choi, B H & Beever, J E, Polymorphism in the porcine agouti signalling protein (*ASIP*) gene, 418
Kinoshita, K, Shimogiri, T, Okamoto, S, Yoshizawa, K, Mannen, H, Ibrahim, H R, Cheng, H H & Maeda, Y, Linkage mapping of chicken *ovoinhibitor* and *ovomucoid* genes to chromosome 13, 356
Kirby, J D *see* Yang, J
Kirkness, E F *see* Kothapalli, K S D, *see also* Werner, P
Kirkpatrick, B W *see* Cruickshank, J, *see also* Gonda, M G
Kirkpatrick, B *see* Arias, J
Kiuchi, S *see* Sarker, N
Klukowska, J, Szczerbal, I, Rickli, O, Switonski, M, Dolf, G & Schelling, C, Seven bacterial artificial chromosome-derived canine microsatellite-linking physical and genetic maps, 252
Klukowska, J, Szczerbal, I, Wengi-Piasecka, A, Switonski, M, Schelling, C, Gmür, A & Dolf, G, Characterization and mapping of canine microsatellites isolated from BAC clones harbouring DNA sequences homologous to seven human genes, 404
Klukowska, J, Szczerbal, I, Wengi-Piasecka, A, Switonski, M, Schelling, C, Gmür, A & Dolf, G, Identification of two polymorphic microsatellites in a canine BAC clone harbouring a putative canine *MAOA* gene, 75
Knoll, A *see* Čepica, S, *see also* Civáňová, K
Knorr, C *see* Chen, K F, *see also* Ren, J
Ko, J H, Takada, A, Mitsuhashi, T, Agui, T & Watanabe, T, Native antiviral specificity of chicken Mx protein depends on amino acid variation at position 631, 119
Kobayashi, E *see* Sasaki, O
Kollers, S *see* Kaupe, B, *see also* Werner, F A O
Komen, H *see* Rutten, M J M
Koohmaraie, M *see* Casas, E
Kopečný, M, Stratil, A, Van Poucke, M, Bartenschlager, H, Geldermann, H & Peelman, L J, PCR-RFLPs, linkage and RH mapping of the porcine *TGFB1* and *TGFBR1* genes, 253
Kothapalli, K S D, Kirkness, E F, Pujar, S & Meyers-Wallen, V N, Exclusion of *WT1* as a candidate gene for canine *SRY*-negative XX sex reversal, 466
Kotoulas, G *see* Chistiakov, D A
Kozyreva, A A *see* Sazanov, A A
Krämer, W *see* Werner, F A O
Kruif, A *see* Yuan, Y Q
Kubíčková, S *see* Čepica, S
Kuchel, H, Siebert, B D, Bottema, C D K, Webb, G C, Crawford, A M, Duncan, S J, McDonald, P A, McEwan, J C & Pitchford, W S, Physical mapping of the *stearoyl-CoA desaturase* (*SCD*) locus in sheep, 163
Kuiper, H *see* Drögemüller, C, Drögemüller, C, Drögemüller, C, Mömke, S, *see also* Spötter, A
Kurosawa, M *see* Tozaki, T
Kusumoto, H *see* Mikawa, S

Laegreid, W W *see* Clawson, M L
Lamont, S J *see* Goodenbour, J M
Law, A *see* Yuan, Y Q
Law, A S *see* Chistiakov, D A
Leder, E H, Danzmann, R G & Ferguson, M M, Comparison of *GNRH3* genes across salmonid genera, 126
Lee, C S *see* Kim, N K
Lei, M G, Xiong, Y Z, Deng, C Y, Wu, Z F, Harbitz, I, Zuo, B & Dai, L H, Sequence variation in the porcine *lipoprotein lipase* gene, 422
Lei, M G *see* Zuo, B
van der Lende, T *see* Liefers, S C
Li, C *see* Murdoch, B, Murdoch, B
Li, F E *see* Zuo, B
Li, H *see* Gu, Z, *see also* Jiang, R
Li, J *see* Jiang, R
Li, K *see* Lin, L, *see also* Wang, H, *see also* Wang, Y F, *see also* Wu, X, *see also* Yang, J
Li, N *see* Yang, Y, *see also* Zhang, L
Liaubet, L *see* Demeure, O
Libertini, A *see* Chistiakov, D A
Liefers, S C, Veerkamp, R F, te Pas, M F W, Delavaud, C, Chilliard, Y & van der Lende, T, A missense mutation in the bovine *leptin receptor* gene is associated with leptin concentrations during late pregnancy, 138
Lien, S *see* Grindflek, E
Lima-Rosa, C A V, Canal, C W, Streck, A F, Freitas, L B, Delgado-Cañedo, A, Bonatto, S L & Salzano, F M, *B-F* DNA sequence variability in Brazilian (blue-egg Caipira) chickens, 278
Lin, L, Liu, B, Yu, M, Yerle, M, Fan, B, Yang, J & Li, K, Radiation hybrid mapping of the pig *ALDOA*, *ALDOB* and *ALDOC* genes to SSC3, SSC1 and SSC12, 66
Lin, Z, Lou, Y & Squires, E J, Molecular cloning, expression and functional characterization of the *cytochrome P450 2A6* gene in pig liver, 314
Ling, G *see* Bannasch, D L
Lingaas, F *see* Bønsdorff, T
Liu, B *see* Lin, L, *see also* Wang, H, *see also* Wang, Y F, *see also* Yang, J
Liu, W *see* Yang, Y
Liu, Z J *see* Serapion, J
Liu, Z L *see* Yang, Y
Livant, E J, Brigati, J R & Ewald, S J, Diversity and locus specificity of chicken *MHC B* class I sequences, 18
Lou, Y *see* Lin, Z
Lundeberg, J *see* Fitzsimmons, C J
Lunstra, D D *see* Casas, E
Lyons, L A *see* Grahn, R A

Maeda, Y *see* Kinoshita, K
Magor, K E *see* Moon, D A
Mannen, H *see* Kinoshita, K, *see also* Tsuji, S, *see also* Yoshizawa, K
Marcos, S *see* Calvo, J H, Calvo, J H, *see also* Calvo, J H
Marron, B M, Robinson, J L, Gentry, P A & Beever, J E, Identification of a mutation associated with factor XI deficiency in Holstein cattle, 454
Marshall, K *see* DeNise, S
Marti, E *see* Achmann, R
Martinez, M L *see* Mota, A F
Masopust, M *see* Čepica, S
Mateus, J C, Eding, H, Penedo, M C T & Rangel-Figueiredo, M T, Contributions of Portuguese cattle breeds to genetic diversity using marker-estimated kinships, 305
Mateus, J C, Penedo, M C T, Alves, V C, Ramos, M & Rangel-Figueiredo, T, Genetic diversity and differentiation in Portuguese cattle breeds using microsatellites, 106
Matukumalli, L K *see* Mota, A F
McDonald, P A *see* Kuchel, H
McEwan, J C *see* Kuchel, H
McGowan, C R, Davidson, E A, Woram, R A, Danzmann, R G, Ferguson, M M & Davidson, W S, Ten polymorphic microsatellite markers from Arctic charr (*Salvelinus alpinus*): linkage analysis and amplification in other salmonids, 479
McKenna, S *see* DeNise, S
McLay, A *see* Gilbey, J
Meadows, J R S, Hawken, R J & Kijas, J W, Nucleotide diversity on the ovine Y chromosome, 379
Medrano, J F *see* Farber, C R
Meiboom, M, Murua Escobar, H, Winkler, S, Nolte, I & Bullerdiek, J, Molecular characterization and mapping of the canine KRAB zinc finger gene *ZNF331*, 262
Melville, J S *see* Cao, H

Meng, Y *see* Murdoch, B, Murdoch, B
Meyer, B, Murua Escobar, H, Winkler, S, Dolf, G, Schelling, C, Bullerdiek, J & Nolte, I. Molecular characterization and mapping of the canine *cyclin D1* (*CCND1*) gene, 413
Meyer, B *see* Richter, A
Meyer, J, Murua Escobar, H, Bartnitzke, S, Schelling, C, Dolf, G, Nolte, I & Bullerdiek, J. The FAS-activated serine/threonine kinase gene maps to canine chromosome 16, 497
Meyer, J *see* Murua Escobar, H
Meyers-Wallen, V N *see* Kothapalli, K S D
Mickelson, J R, Wagner, M L, Goh, G, Wu, J T, Morrison, L Y, Alexander, L J, Raudsepp, T, Skow, L C, Chowdhary, B P, Swinburne, J E & Binns, M M. Thirty-five new equine microsatellite loci assigned to genetic linkage and radiation hybrid maps, 481
Mickelson, J R *see* Hendrickson, J A.
see also Wu, J T
see also Wagner, M L
Mikawa, A *see* Mikawa, S
Mikawa, S, Shimanuki, S, Morozumi, T, Domukai, M, Shinkai, H, Uchida, Y, Mikawa, A, Miyake, M, Miyake, Y, Hayashi, N, Kusumoto, H, Uenishi, H, Hayashi, T & Awata, T. Comparative analysis and development of microsatellite markers on swine (*Sus scrofa*) chromosome 1qter, 445
Milan, D *see* Demeure, O
Milazzotto, M P *see* Santos, S E C
Millon, L V *see* Tozaki, T
Minvielle, F *see* Kayang, B B
Mitsuhashi, T *see* Ko, J H.
see also Sarker, N
Miwa, M *see* Kayang, B B
Miyake, M *see* Mikawa, S
Miyake, Y *see* Mikawa, S
Mizoshita, K, Ihara, N, Carpio, C M, Bennett, G L, Ponce de Leon, F A, Beattie, C W & Sugimoto, Y. Chromosomal mapping of 65 microsatellites developed from microdissected BTA14 and BTA20 chromosome-specific genomic libraries, 408
Mizutani, M *see* Yoshizawa, K
Moen, T, Hoyheim, B, Munck, H & Gomez-Raya, L. A linkage map of Atlantic salmon (*Salmo salar*) reveals an uncommonly large difference in recombination rate between the sexes, 81
Mömke, S, Kuiper, H, Spötter, A, Drögemüller, C, Williams, J L & Distl, O. Assignment of the *PRPH* gene to bovine chromosome 5q1.4 by FISH and confirmation by RH mapping, 477
Mömke, S *see* Drögemüller, C
Monvoisin, J L *see* Kayang, B B
Moon, D A & Magor, K E. Construction and characterization of a fosmid library for comparative analysis of the duck genome, 417
Moore, S S *see* Murdoch, B.
see also Valle, E
Morisson, M *see* Jennen, D G J
Morita, M *see* Nakatsu, Y
Morozumi, T *see* Mikawa, S
Morrison, L Y *see* Mickelson, J R.
see also Wagner, M L
Mosner, J *see* Werner, F A O
da Mota, A F, Sonstegard, T S, Van Tassell, C P, Shade, L L, Matukumalli, L K, Wood, D L, Capuco, A V, Brito, M A P, Connor, E E, Martinez, M L & Coutinho, L L. Characterization of open reading frame-expressed sequence tags generated from *Bos indicus* and *B. taurus* mammary gland cDNA libraries, 213
Mukai, F *see* Tsuji, S
Munck, H *see* Moen, T
Muñoz, G, Óvilo, C, Amills, M & Rodríguez, C. Mapping of the porcine *oestrogen receptor 2* gene and association study with litter size in Iberian pigs, 242
Murdoch, B, Fu, A, Meng, Y, Li, C, Hansen, C, Snelling, W M & Moore, S S. Assignment of the *SIAT4A* gene to bovine chromosome 14 by linkage mapping of an associated microsatellite, 146
Murdoch, B, Fu, A, Meng, Y, Li, C, Hansen, C, Snelling, W M & Moore, S S. Identification of three microsatellite loci on bovine chromosome 19, 145
Murua Escobar, H, Meyer, J, Winkler, S, Schelling, C, Dolf, G, Nolte, I & Bullerdiek, J. The protein kinase B, gamma (*AKT3*) gene maps to canine chromosome 7, 354
Murua Escobar, H *see* Meiboom, M.
see also Meyer, B.
see also Meyer, J.
see also Richter, A.
see also Santos, S E C.
see also Winkler, S
Musilová, P *see* Čepica, S

Nagamine, Y *see* Sasaki, O
Nakajima, M *see* Watanabe, T
Nakatsu, Y, Yamada, K, Ueda, J, Onogi, A, Ables, G P, Nishibori, M, Hata, H, Takada, A, Sawai, K, Tanabe, Y, Morita, M, Daikohara, M & Watanabe, T. Genetic polymorphisms and antiviral activity in the bovine *MX1* gene, 182
Němcová, L *see* Čepica, S
Nirasawa, K *see* Sasaki, O
Nishibori, M *see* Nakatsu, Y
Nolte, I *see* Murua Escobar, H .
see also Meiboom, M.
see also Meyer, B.
see also Meyer, J
see also Richter, A.
see also Santos, S E C
see also Winkler, S
Nonneman, D & Rohrer, G A. Comparative mapping of human chromosome 10 to pig chromosomes 10 and 14, 338
Nonneman, D *see* Kim, J G

Odawara, S *see* Sasaki, O
Okamoto, S *see* Kinoshita, K
Okimoto, R *see* Yang, J
Oliveira, R P *see* Tozaki, T
Olsaker, I *see* Bønsdorff, T
Onogi, A *see* Nakatsu, Y
Ostrander, E A *see* Werner, P
Óvilo, C *see* Muñoz, G
Oyama, K *see* Tsuji, S
Oyamada, Y *see* Sasaki, O

Palti, Y, Gahr, S A, Hansen, J D & Rexroad III, C E. Characterization of a new BAC library for rainbow trout: evidence for multi-locus duplication, 130
Palti, Y *see* Gahr, S A
te Pas, M F W *see* Liefers, S C.
see also Wang, Y F
Patterson, D F *see* Werner, P
Peelman, L J *see* Kopečný, M, Yuan, Y Q
Penedo, M C T *see* Mateus, J C.
see also Tozaki, T
Pettigrew, D C *see* Tozaki, T
Pillai, S *see* Shen, S
Pitchford, W S *see* Kuchel, H
Plachý, J *see* Elleder, D
Plastow, G *see* Grindflek, E
Plis-Finarov, A, Hudson, H, Roe, B, Ron, M & Seroussi, E. Mapping of the *GATA4*, *NEIL2*, *FDFT1* genes and *CTSB*-associated microsatellites to the centromeric region of BTA8, 154
van der der Poel, J J *see* Jennen, D G J
Ponce de Leon, F A *see* Mizoshita, K
Ponsuksili, S *see* Chomdej, S
Price, J A *see* Sazanov, A A
Procházka, R *see* Čepica, S
Pujar, S *see* Kothapalli, K S D

Qin, B *see* Grahn, R A
Qu, L *see* Jiang, R

Raducha, M G *see* Werner, P
Ramos, A M *see* Gaboreanu, A-M
Ramos, M *see* Mateus, J C
Rance, K A *see* Houston, R D
Raney, N E *see* Ernst, C W
Rangel-Figueiredo, M T *see* Mateus, J C
Rangel-Figueiredo, T *see* Mateus, J C
Raudsepp, T *see* Mickelson, J R, Wagner, M L.
see also Wagner, M L

Ren, J, Knorr, C, Guo, Y-M, Ding, N-S, Ai, H-S, Brenig, B & Huang, L-S. Characterization of five single nucleotide polymorphisms in the porcine stearoyl-CoA desaturase (*SCD*) gene, 255
Rexroad III, C E *see* Gahr, S A, *see also* Palti, Y
Richter, A, Murua Escobar, H, Günther, K, Meyer, B, Winkler, S, Dolf, G, Schelling, C, Nolte, I & Bullerdiek, J. The canine *NRAS* gene maps to CFA 17, 355
Richter, A *see* Winkler, S
Rickli, O *see* Klukowska, J
Rilington, V D *see* Ernst, C W
Riquet, J *see* Demeure, O
Robinson, J A B *see* Cao, H
Robinson, J L *see* Marron, B M
Rodríguez, C *see* Muñoz, G
Roe, B A *see* Grahn, R A
Roe, B *see* Plis-Finarov, A, *see also* Ron, M
Rohrer, G A *see* Civáňová, K, Kim, J G, *see also* Ernst, C W, *see also* Nonneman, D
Romanov, M N *see* Sazanov, A A
Ron, M, Tager-Cohen, I, Feldmesser, E, Ezra, E, Kalay, D, Roe, B, Seroussi, E & Weller, J I. Bovine umbilical hernia maps to the centromeric end of *Bos taurus* autosome 8, 431
Ron, M *see* Plis-Finarov, A
Rønningen, K *see* Bønsdorff, T
Rosenfeld, D *see* DeNise, S
Rothschild, M F *see* Gaboreanu, A-M, *see also* Grindflek, E
Rothwell, L *see* Kaiser, P
Rubeš, J *see* Čepica, S
Rupp, G P *see* Sherman, G B
Russo, V, Fontanesi, L, Davoli, R & Galli, S. Linkage mapping of the porcine *cathepsin F* (*CTSF*) gene close to the QTL regions for meat and fat deposition traits on pig chromosome 2, 155
Rutherford, M S *see* Hendrickson, J A, Wu, J T
Rutten, M J M, Komen, H, Deerenberg, R M, Siwek, M & Bovenhuis, H. Genetic characterization of four strains of Nile tilapia (*Oreochromis niloticus* L.) using microsatellite markers, 93
Ryun, J R *see* Bannasch, D L

Salzano, F M *see* Lima-Rosa, C A V
Santos, S E C, Murua Escobar, H, Sider, L H, Winkler, S, Aoki, S M, Milazzotto, M P, Campagnari, F, Vannucchi, C I, Bullerdiek, J, Nolte, I & Garcia, J F. DNA sequence, polymorphism, and mapping of luteinizing hormone receptor fragment (*LHCGR*) gene in Great Dane dogs, 74
Sarker, N, Kiuchi, S, Yasue, H & Mitsuhashi, T. Radiation hybrid map assignments of 11 ESTs obtained from a 28-day-old swine embryo cDNA library to the IMpRH map, 227
Sasaki, O, Odawara, S, Takahashi, H, Nirasawa, K, Oyamada, Y, Yamamoto, R, Ishii, K, Nagamine, Y, Takeda, H, Kobayashi, E & Furukawa, T. Genetic mapping of quantitative trait loci affecting body weight, egg character and egg production in F2 intercross chickens, 188
Sasazaki, S *see* Tsuji, S
Savolainen, P *see* Fitzsimmons, C J
Sawai, K *see* Nakatsu, Y
Sawazaki, T *see* Fujishima-Kanaya, N
Sazanov, A A, Sazanova, A L, Stekolnikova, V A, Kozyreva, A A, Smirnov, A F, Romanov, M N & Dodgson, J B. Chromosomal localization of *CTSL*: expanding of the region of evolutionary conservatism between GGAZ and HSA9, 260
Sazanov, A A, Sazanova, A L, Tzareva, V A, Kozyreva, A A, Smirnov, A F, Romanov, M N, Price, J A & Dodgson, J B. Refined localization of the chicken *KITLG*, *MGP* and *TYR* genes on GGA1 by FISH mapping using BACs, 148
Sazanova, A L *see* Sazanov, A A
Scalabrini, D *see* Franceschi, A
Scarbrough, K *see* Yang, J
Schaible, R H *see* Bannasch, D L
Schellander, K *see* Chomdej, S
Schelling, C *see* Murua Escobar, H, *see also* Klukowska, J, *see also* Meyer, B, *see also* Meyer, J *see also* Richter, A *see also* Winkler, S
Schmutz, S M *see* Asai, M, *see also* Strom, S A
Schneider, M P C *see* Vallinoto, M
Schulte, P M *see* Gharbi, K
Semple, J W *see* Gharbi, K
Seo, Y W *see* Kim, N K
Serapion, J, Waldbieser, G C, Wolters, W & Liu, Z J. Development of type I markers in channel catfish through intron sequencing, 463
Seroussi, E *see* Plis-Finarov, A, *see also* Ron, M
Serrano, M *see* Calvo, J H, Calvo, J H, *see also* Calvo, J H
Shackelford, S D *see* Casas, E
Shade, L L *see* Mota, A F
Sharp, T *see* DeNise, S
Shen, S, Berry, W, Jaques, S, Pillai, S & Zhu, J. Differential expression of *iodothyronine deiodinase type 2* in growth plates of chickens divergently selected for incidence of tibial dyschondroplasia, 114
Sherman, G B, Kachman, S D, Hungerford, L L, Rupp, G P, Fox, C P, Brown, M D, Feuz, B M & Holm, T R. Impact of candidate sire number and sire relatedness on DNA polymorphism-based measures of exclusion probability and probability of unambiguous parentage, 220
Shi, P *see* Gu, Z
Shimanuki, S *see* Mikawa, S
Shimogiri, T *see* Kinoshita, K
Shin, D *see* Werner, P
Shinkai, H *see* Mikawa, S
Shojo, M *see* Tsuji, S
Shook, G E *see* Gonda, M G
Sider, L H *see* Santos, S E C
Siebert, B D *see* Kuchel, H
Silahtaroglu, A N, Jensen, L R, Harboe, T L, Horn, P, Bendixen, C, Tommerup, N & Tümer, Z. Sequencing and mapping of the porcine *CCS* gene, 353
Silva, A *see* Vallinoto, M
Siwek, M *see* Rutten, M J M
Skow, L C *see* Mickelson, J R, *see also* Wagner, M L
Skow, L S *see* Wagner, M L
Smirnov, A F *see* Sazanov, A A
Smith, T P L *see* Clawson, M L
Snelling, W M *see* Murdoch, B
Sölkner, J *see* Achmann, R
Sonstegard, T S *see* Connor, E E, *see also* Mota, A F
Spelman, R J *see* Fisher, P J
Spötter, A, Drögemüller, C, Kuiper, H, Hamann, H & Distl, O. Mapping and microsatellite marker development for the porcine *GRB2-associated binding protein 1* (*GAB1*) gene, 166
Spötter, A *see* Drögemüller, C *see also* MömKe, S
Squires, E J *see* Lin, Z
Stekolnikova, V A *see* Sazanov, A A
Stone, R T *see* Casas, E
Stranzinger, G *see* Asai, M
Stratil, A *see* Kopečný, M
Streck, A F *see* Lima-Rosa, C A V
Strom, S A & Schmutz, S M. Linkage mapping of *Microphthalmia-associated transcription factor* to cattle chromosome 22, 257
Su, Y H *see* Zuo, B
Sugimoto, Y *see* Mizoshita, K
Sundvold, H *see* Grindflek, E
Suzuki, K *see* Fujishima-Kanaya, N
Svoboda, J *see* Elleder, D
Swinburne, J E *see* Mickelson, J R
Switonski, M *see* Klukowska, J
Szczerbal, I *see* Klukowska, J

Tager-Cohen, I *see* Ron, M
Takada, A *see* Ko, J H, *see also* Nakatsu, Y
Takahashi, H *see* Sasaki, O
Takeda, H *see* Sasaki, O

Tanabe, Y *see* Nakatsu, Y
Taniguchi, N *see* Watanabe, T
Terry, R B, Archer, S, Brooks, S, Bernoco, D & Bailey, E. Assignment of the appaloosa coat colour gene (*LP*) to equine chromosome 1, 134
Thaller, G *see* Werner, F A O
Thue, T D & Buchanan, F C. Linkage mapping of *NPY* to bovine chromosome 4, 245
Thue, T D *see* Dickin, J C
Tomita, M *see* Tozaki, T
Tommerup, N *see* Silahtaroglu, A N
Tozaki, T, Penedo, M C T, Oliveira, R P, Katz, J P, Millon, L V, Ward, T, Pettigrew, D C, Brault, L S, Tomita, M, Kurosawa, M, Hasegawa, T & Hirota, K. Isolation, characterization and chromosome assignment of 341 newly isolated equine *TKY* microsatellite markers, 487
Tsigenopoulos, C S *see* Chistiakov, D A
Tsuji, S, Itoh, K, Sasazaki, S, Mannen, H, Oyama, K, Shojo, M & Mukai, F. An association study using AFLP markers and application to a beef cattle breeding population, 40
Tsuji, S *see* Yoshizawa, K
Tuggle, C K *see* Zhao, S-H
Tümer, Z *see* Silahtaroglu, A N
Tzareva, V A *see* Sazanov, A A

Uchida, Y *see* Mikawa, S
Ueda, J *see* Nakatsu, Y
Uenishi, H *see* Fujishima-Kanaya
see also Mikawa, S

Valle, E, Habermann, F A, Moore, S S, Crews, D H & Benkel, B F. Genomic localization and SNP discovery in the bovine melanocortin receptor 4 gene (*MC4R*), 351
Vallet, J L *see* Kim, J G
Vallinoto, M, Schneider, M P C, Silva, A, Iannuzzi, L & Brenig, B. Molecular cloning and analysis of the swamp and river buffalo leptin gene, 462
Van Poucke, M *see* Kopečný, M
Van Soom, A *see* Yuan, Y Q
Van Tassell, C P *see* Mota, A F
Van Zeveren, A *see* Yuan, Y Q
Vannucchi, C I *see* Santos, S E C
Veerkamp, R F *see* Liefers, S C
Venta, P J *see* Ernst, C W
Verrinder Gibbins, A M *see* Cao, H
Verspoor, E *see* Gilbey, J
Vidal, O & Amills, M. Assignment of the *fatty acid Coenzyme A ligase, long chain 2* (*FACL2*) gene to porcine chromosome 15, 245
Vignal, A *see* Jennen, D G J,
see also Kayang, B B
Volckaert, F A M *see* Chistiakov, D A

Wagner, M L, Goh, G, Wu, J T, Morrison, L Y, Alexander, L J, Raudsepp, T, Skow, L C, Chowdhary, B P & Mickelson, J R. Sixty-seven new equine microsatellite loci assigned to the equine radiation hybrid map, 484
Wagner, M L, Goh, G, Wu, J T, Raudsepp, T, Morrison, L Y, Alexander, L J, Skow, L C, Chowdhary, B P & Mickelson, J R. Radiation hybrid mapping of 63 previously unreported equine microsatellite loci, 159
Wagner, M L, Goh, G, Wu, J T, Raudsepp, T, Morrison, L Y, Alexander, L J, Skow, L S, Chowdhary, B P & Mickelson, J R. Radiation hybrid mapping of 75 previously unreported equine microsatellite loci, 68
Wagner, M L *see* Mickelson, J R
Waldbieser, G C *see* Gregory, D J,
see also Karsi, A
see also Serapion, J
Wang, H, Yu, M, Liu, B, Yerle, M, Wang, Y, Fan, B, Zhu, Z, Zhu, M & Li, K. Mapping of the porcine *JAK2*, *JAK3* and *TYK2* genes using somatic cell and radiation hybrid panels, 258
Wang, H *see* Wu, X
Wang, H L *see* Wu, X
Wang, J *see* Zuo, B
Wang, Y *see* Wang, H
Wang, Y F, Yu, M, te Pas, M F W, Yerle, M, Liu, B, Fan, B, Xiong, T A & Li, K. Sequence characterization, polymorphism and chromosomal localizations of the porcine *PSME1* and *PSME2* genes, 361
Ward, T *see* Tozaki, T
Watanabe, T, Nakajima, M, Yoshida, M & Taniguchi, N. Construction of six linkage groups in the guppy (*Poecilia reticulata*), 147
Watanabe, T *see* Ko, J H,
see also Nakatsu, Y
Webb, G C *see* Kuchel, H
Weller, J I *see* Ron, M
Wengi-Piasecka, A *see* Klukowska, J
Werner, F A O, Durstewitz, G, Habermann, F A, Thaller, G, Krämer, W, Kollers, S, Buitkamp, J, Georges, M, Brem, G, Mosner, J & Fries, R. Detection and characterization of SNPs useful for identity control and parentage testing in major European dairy breeds, 44
Werner, P, Raducha, M G, Shin, D, Ostrander, E A, Kirkness, E, Patterson, D F & Henthorn, P S. Assignment of 10 canine genes to the canine linkage and comparative maps, 249
Williams, J L *see* Connor, E E,
see also Drögemüller, C
see also Mömke, S
see also Yuan, Y Q
Wimmers, K *see* Chomdej, S
Winkler, S, Murua Escobar, H, Günther, K, Richter, A, Dolf, G, Schelling, C, Bullerdiek, J & Nolte, I. The canine *KRAS2* gene maps to chromosome 22, 350
Winkler, S *see* Murua Escobar, H,
see also Meiboom, M,
see also Meyer, B
see also Richter, A,
see also Santos, S E C
Wolf, J *see* Goliášová, E
Wolters, W *see* Serapion, J
Wood, D L *see* Mota, A F
Woram, R A *see* McGowan, C R
Wright, T M *see* Hizer, S E
Wu, J T, Hendrickson, J A, Yi, Y, George Jr, A L, Henthorn, P S, Hitte, C, Galibert, F, Rutherford, M S & Mickelson, J R. Radiation hybrid and comparative mapping of 38 canine heart ESTs, 420
Wu, J T *see* Hendrickson, J A,
see also Mickelson, J R,
see also Wagner, M L
Wu, X, Zhu, Z, Yerle, M, Wang, H L, Wang, H, Gu, M & Li, K. Radiation hybrid mapping of four genes (*MYBPC1*, *LUM*, *ZRF1* and *ATP2B4*) expressed in embryo skeleton muscle to pig chromosomes 5 and 9, 472
Wu, Z F *see* Lei, M G

Xiong, T A *see* Wang, Y F
Xiong, Y Z *see* Lei, M G,
see also Zuo, B
Xu, W *see* Zhang, L

Yamada, K *see* Nakatsu, Y
Yamamoto, R *see* Sasaki, O
Yang, J, Kirby, J D, Scarbrough, K & Okimoto, R. Assignment of the chicken *glycoprotein hormones, alpha polypeptide* (*CGA*) gene to chromosome 3, 67
Yang, J, Yu, M, Liu, B, Yerle, M, Fan, B, Zhu, M, Zhu, Z & Li, K. Assignment of the porcine *PLD2* gene to chromosome 12 and characterization of a SINE indel polymorphism, 352
Yang, J *see* Lin, L
Yang, N *see* Jiang, R
Yang, Y, Liu, W, Liu, Z L, Hu, X X & Li, N. Mapping *NANOG* to chromosome 5 in swine, 411
Yasue, H *see* Sarker, N
Yerle, M *see* Lin, L,
see also Wang, H,
see also Wang, Y F,
see also Wu, X,
see also Yang, J
Yi, Y *see* Wu, J T
Yoshida, M *see* Watanabe, T

Yoshizawa, K, Inaba, K, Mannen, H, Kikuchi, T, Mizutani, M & Tsuji, S. Fine mapping of the muscular dystrophy (*AM*) gene on chicken chromosome 2q, 397
Yoshizawa, K *see* Kinoshita, K
Young, A E *see* Grahn, R A
Yu, M *see* Lin, L
see also Wang, H,
see also Wang, Y F,
see also Yang, J
Yuan, Y Q, Peelman, L J, Williams, J L, Van Zeveren, A, Kruif, A, Law, A & Van Soom, A. Mapping and transcription profiling of *CASP1*, *3*, *6*, *7* and *8* in relation to caspase activity in the bovine cumulus–oocyte complex, 234

Zhang, H M & Cheng, H H. Chicken *tubby-like protein 1* (*TULP1*) gene maps to chromosome 26, 165
Zhang, H M & Cheng, H H. SNP identification and genetic mapping of chicken *ephrin type-B receptor 2* gene to linkage group E54, 162
Zhang, L, Li, N, Fan, B, Fang, M & Xu, W. *PRNP* polymorphisms in Chinese ovine, caprine and bovine breeds, 457
Zhang, Y *see* Gu, Z
Zhang, Y-P *see* Gu, Z
Zhao, S-H & Tuggle, C K. Linkage mapping and expression analyses of a novel gene, *placentally expressed transcript 1* (*PLET1*) in the pig, 72
Zhao, S-H, Erickson, A & Tuggle, C K. Physical and linkage mapping of the *lymphocyte antigen 86* (*LY86*) gene to porcine chromosome 7, 164
Zheng, R *see* Zuo, B
Zhu, D *see* Gu, Z
Zhu, J *see* Shen, S
Zhu, M *see* Wang, H,
see also Yang, J
Zhu, Z *see* Wang, H,
see also Wu, X,
see also Yang, J
Zuo, B, Xiong, Y Z, Deng, C Y, Su, Y H, Wang, J, Lei, M G, Li, F E, Jiang, S W & Zheng, R. cDNA cloning, genomic structure and polymorphism of the porcine *FHL3* gene, 230
Zuo, B *see* Lei, M G